CONTENTS

British Volume, 83-B, 2001

Editorials

Patterns of musculoskeletal infection in childhood 1
M. F. Macnicol

Outcomes evaluation in orthopaedics 313
J. Dawson and A. Carr

Injuries to the elbow in childhood – a source of disquiet 469
D. M. Eastwood

Chromosomal changes after surgery for joint replacement 1093
C. Patrick Case

Review articles

Substitutes for autologous bone graft in orthopaedic trauma 3
J. F. Keating and M. M. McQueen

Current trends in the enhancement of fracture healing 157
D. Hannouche, H. Petite and L. Sedel

The management of osteoporosis 316
A. B. Stephen and W. A. Wallace

The treatment of metastases in the appendicular skeleton 471
R. Capanna and D. A. Campanacci

Selection of the graft for reconstruction of the anterior cruciate ligament 625
R. John Bartlett, Mark G. Clatworthy and Trung N. V. Nguyen

Current concepts of respiratory insufficiency syndromes after fracture 781
C. M. Robinson

Anterior knee pain 937
A. M. Jackson

Annotation

'Audits', trials, user groups and industry 165
D. I. Rowley and D. W. McGurty

How should orthopaedic surgeons respond to unsolicited e-mail? 482
S. Wakelin and C. W. Oliver

Choosing an outcome measure 792
P. B. Pynsent

The use of the Internet by orthopaedic outpatients 1096
J. E. D. Wright, R. R. Brown, C. Chadwick and D. Karadaglis

Scientific papers

Arthroscopic treatment of anterior impingement in the ankle 9
J. L. Tol, C. P. P. M. Verheyen and C. N. van Dijk

A long-term review of a modified Evans procedure 14
G. A. Nimon, P. J. L. Dobson, K. R. Angel, P. L. Lewis and T. M. Stevenson

The Distress and Risk Assessment Method (DRAM) 19
J. L. Hobby, L. N. Lutchman, J. M. Powell and D. J. Sharp

The treatment of scoliosis in muscular dystrophy using modified Luque and Harrington-Luque instrumentation 22
G. Bentley, F. Haddad, T. M. Bull and D. Seingry

Arthroscopic medial meniscectomy on stable knees 29
C. H. Hulet, B. G. Locker, D. Schiltz, A. Texier, E. Tallier and C. H. Vielpeau

Femoral condylar lift-off in vivo in total knee arthroplasty 33
D. A. Dennis, R. D. Komistek, S. A. Walker, E. J. Cheal and J. B. Stiehl

Tourniquet-induced wound hypoxia after total knee replacement 40
M. T. Clarke, L. Longstaff, D. Edwards and N. Rushton

The routine of surgical management reduces failure after unicompartmental knee arthroplasty 45
O. Robertsson, K. Knutson, S. Lewold and L. Lidgren

Arthrodesis of the knee after an infected arthroplasty using the Ilizarov method 50
H. J. Oostenbroek and P. M. van Roermund

Fractures of the tuberosity of the calcaneus 55
B. Squires, P. E. Allen, J. Livingstone and R. M. Atkins

Treatment of open fractures of the shaft of the tibia 62
M. Bhandari, G. H. Guyatt, M. F. Swiontkowski and E. H. Schemitsch

The hyperabduction test 69
O. J. Gagey and N. Gagey

Percutaneous release of trigger digits 75
K. I. Ha, M. J. Park and C. W. Ha

Treatment of nonunion of the scaphoid by a limited combined approach 78
F. del Piñal

Trochanteric rotational osteotomy for osteonecrosis of the femoral head 83
K.-H. Hoo, H.-R. Song, J.-W. Yang, P. Yang, J.-R. Kim and Y.-M. Kim

Therapeutic embolisation for postoperative haemorrhage after total arthroplasty of the hip and knee 90
A. Barriga, J. R. Valentí Nin, C. Delgado and J. J. Bilbao

Primary subacute haematogenous osteomyelitis in children 93
M. N. Rasool

The changing epidemiology of acute and subacute haematogenous osteomyelitis in children 99
M. J. G. Blyth, R. Kincaid, M. A. C. Craigen and G. C. Bennet

Pyomyositis of the iliacus muscle in a child 103
W. R. C. Peckett, A. Butler-Manuel and L. A. Apthorp

Discitis in young children 106
R. Brown, M. Hussain, K. McHugh, V. Novelli and D. Jones

A histological study of the necrotic area after transtrochanteric anterior rotational osteotomy for osteonecrosis of the femoral head 167
Y. Yasunaga, T. Hisatome, Y. Ikuta and S. Nakamura

Femoroacetabular impingement and the cam-effect 171
K. Ito, M.-A. Minka-II, M. Leunig, S. Werlen and R. Ganz

Harris Galante cementless acetabular replacement in avascular necrosis 177
A. H. Taylor, M. Shannon, S. L. Whitehouse, M. B. Lee and I. D. Learmonth

Fluconazole-impregnated beads in the management of fungal infection of prosthetic joints 183
A. S. W. Bruce, R. M. Kerry, P. Norman and I. Stockley

A seven-year experience of data collection on the Insall-Burstein II total knee arthroplasty 185
D. I. Rowley and D. W. McGurty

Oxford medial unicompartmental knee arthroplasty 191
U. C. G. Svärd and A. J. Price

Movement of the knee in osteoarthritis 195
C. R. C. Walker, C. Myles, R. Nutton and P. Rowe

Tibiocalcaneal fusion for avascular necrosis of the talus 199
M. G. Dennison, R. D. Pool, R. B. Simonis and B. S. Singh

'Fat fracture' – a physical sign mimicking tendon rupture 204
R. H. Thomas, M. D. Holt, S. H. James and P. G. White

Treatment for displaced intracapsular fracture of the proximal femur 206
J. N. S. Davison, S. J. Calder, G. H. Anderson, G. Ward, C. Jagger, W. M. Harper and P. J. Gregg

Cementless surface replacement arthroplasty of the shoulder 213
O. Levy and S. A. Copeland

Tuberculosis of the craniocervical junction 222
S. Y. Bhojraj, N. Shetty and P. J. Shah

Symptoms and signs of irritation of the brachial plexus in whiplash injuries 226
M. Ide, J. Ide, M. Yamaga and K. Takagi

Fracture of the carpal scaphoid 230
B. Saedén, H. Törnkvist, S. Ponzer and M. Höglund

Assessing the outcome of disorders of the hand 235
J. J. Dias, B. Bhowal, C. J. Wildin and J. R. Thompson

Compartmental divisions of the hand revisited 241
G. P. Guyton, C. M. Shearman and C. L. Saltzman

The compartments of the foot revisited 245
G. P. Guyton, C. M. Shearman and C. L. Saltzman

The surgical anatomy of the dorsomedial cutaneous nerve of the hallux 250
M. C. Solan, M. Lemon and S. P. Bendall

Treatment of unstable fractures of the forearm in children 253
A. R. Bhaskar and J. A. Roberts

Selective release of the flexor origin with transfer of the flexor carpi ulnaris in cerebral palsy 259
N. S. El-Said

Short stature as a screening test for endocrinopathy in slipped capital femoral epiphysis 263
S. R. Burrow, B. Alman and J. G. Wright

Recurrent congenital haemangiopericytoma in a child 269
T. M. P. O'Donnell, A. T. Devitt, S. Kutty and E. E. Fogarty

Long-term review of the lumbar spine in javelin throwers 324
H. Schmitt, D. R. C. Brocai and C. Carstens

Stenosis of the cervical canal in craniodiaphyseal dysplasia 328
S. Naique and V. J. Laheri

Radiation therapy for the prevention of heterotopic ossification at the elbow 332
R. Heyd, G. Strassmann, B. Schopohl and N. Zamboglou

Selective lengthening of the proximal flexor tendon in the management of acquired claw toes 335
M. S. Feeney, R. L. Williams and M. M. Stephens

Appropriate questionnaires for knee arthroplasty 339
M. J. Dunbar, O. Robertsson, L. Ryd and L. Lidgren

Specificity of the Oxford knee status questionnaire 345
W. G. V. Harcourt, S. H. White and P. Jones

A comparison of quadruple semitendinosus and patellar tendon grafts in reconstruction of the anterior cruciate ligament 348
K. Eriksson, P. Anderberg, P. Hamberg, A. C. Löfgren, M. Bredenberg, I. Westman and T. Wredmark

Long-term results of Kinematic Condylar knee replacement 355
G. S. Gill and A. B. Joshi

The Kinemax total knee arthroplasty 359
D. L. Back, S. R. Cannon, A. Hilton, M. J. K. Bankes and T. W. R. Briggs

Isolated calf lengthening in cerebral palsy 364
D. C. Borton, K. Walker, M. Pirpiris, G. R. Nattrass and H. K. Graham

Natural history of scoliosis in children with syringomyelia 371
M. Tokunaga, S. Minami, K. Isobe, H. Moriya, H. Kitahara and Y. Nakata

Microanatomy of the acetabular cavity and its relation to growth 377
N. M. Portinaro, D. W. Murray and M. K. D. Benson

Talectomy in patients with recurrent deformity in club foot 384
J. Legaspi, Y. H. Li, W. Chow and J. C. Y. Leong

Anxiety reaction in children during removal of their plaster cast with a saw 388
K. Katz, R. Fogelman, J. Attias, E. Baron and M. Soudry

Percutaneous radiofrequency ablation in osteoid osteoma 391
N. J. Lindner, T. Ozaki, R. Roedl, G. Gosheger, W. Winkelmann and K. Wörtler

Sample size and statistical power of randomised, controlled trials in orthopaedics 397
K. B. Freedman, S. Back and J. Bernstein

Chronic osteomyelitis 403
A. H. R. W. Simpson, M. Deakin and J. M. Latham

Survival analysis of cementless grit-blasted titanium total hip arthroplasties 408
C. Delaunay and A. I. Kapandji

Cardiac output during hemiarthroplasty of the hip 414
D. I. Clark, A. B. Ahmed, B. R. Baxendale and C. G. Moran

The extent of osteocyte death in the proximal femur of patients with osteonecrosis of the femoral head 419
J. D. F. Calder, M. F. Pearse and P. A. Revell

Fractures involving splitting of the humeral head 423
T. J. S. Chesser, I. J. Langdon, C. Ogilvie, P. P. Sarangi and A. M. Clarke

Instability due to unrecognised fracture-subluxations after apparently isolated injuries of the cervical spine 486
P. Madhavan, J. Monk, J. Wilson-MacDonald and J. Fairbank

The association of degeneration of the intervertebral disc with 5a/6a polymorphism in the promoter of the human matrix metalloproteinase-3 gene 491
M. Takahashi, H. Haro, Y. Wakabayashi, T. Kawa-uchi, H. Komori and K. Shinomiya

Excision of hemivertebrae in the management of congenital scoliosis involving the thoracic and thoracolumbar spine 496
V. Deviren, S. Berven, J. A. Smith, A. Emami, S. S. Hu and D. S. Bradford

The risks and benefits of percutaneous nucleotomy for lumbar disc herniation 501
J. Mochida, E. Toh, T. Nomura and K. Nishimura

Factors affecting employment after whiplash injury 506
C. Gozzard, G. Bannister, G. Langkamer, S. Khan, M. Gargan and C. Foy

Long-term results of retention of the posterior cruciate ligament in total knee replacement in rheumatoid arthritis 510
G. S. Gill and A. B. Joshi

Long-term results of arthroscopic partial lateral meniscectomy in knees without associated damage 513
C. Hoser, C. Fink, C. Brown, M. Reichkendler, W. Hackl and J. Bartlett

Penetrating missile injuries of the brachial plexus 517
M. P. M. Stewart and R. Birch

Conservative *versus* operative treatment for displaced ankle fractures in patients over 55 years of age 525
N. K. Makwana, B. Bhowal, W. M. Harper and A. W. Hui

Dislocation of the knee with lateral dislocation of the patella 530
W. J. Mills and R. J. Nowinski

Fracture stiffness as a guide to the management of tibial fractures 533
R. H. Wade, C. I. Moorcroft and P. B. M. Thomas

Fractures of the neck of the radius in children 536
D. Stiefel, M. Meuli and S. Altermatt

The value of MRI in the assessment of an elbow injury in a neonate 544
M. Costa, S. Owen-Johnstone, J. K. Tucker and T. Marshall

Missed chronic anterior Monteggia lesion 547
G. U. Exner

Deformities of the shoulder in infants younger than 12 months with an obstetric lesion of the brachial plexus 551
J. A. van der Sluijs, W. J. R. van Ouwerkerk, A. de Gast, P. I. J. M. Wuisman, F. Nollet and R. A. Manoliu

Hospital *versus* home management of children with buckle fractures of the distal radius 556
S. Symons, M. Rowsell, B. Bhowal and J. J. Dias

Localised deposition of amyloid in tears of the rotator cuff 561
A. S. Cole, S. Cordiner-Lawrie, A. J. Carr and N. A. Athanasou

The cross-sectional area of supraspinatus as measured by diagnostic ultrasound 565
M. Katayose and D. J. Magee

Perthes' disease 569
E. Guerado and G. Garcés

Femoral shortening in intertrochanteric fractures 572
O. Olsson, L. Ceder and A. Hauggaard

Hip disease and the prognosis of total hip replacements 579
O. Furnes, S. A. Lie, B. Espehaug, S. E. Vollset, L. B. Engesaeter and L. I. Havelin

Revision total elbow replacement using the Souter-Strathclyde prosthesis 635
D. R. M. Redfern, A. B. Dunkley, I. A. Trail and J. K. Stanley

Thermal capsular shrinkage for shoulder instability 640
O. Levy, M. Wilson, H. Williams, J. A. Bruguera, R. Dodenhoff, G. Sforza and S. Copeland

The radial and posterior interosseous nerves 646
G. Shergill, G. Bonney, P. Munshi and R. Birch

The application of decision analysis to the surgical treatment of early osteoarthritis of the wrist 650
B. Graham and A. S. Detsky

The carpal tunnel syndrome is a bilateral disorder 655
A. F. Bagatur and G. Zorer

Intramuscular haemangioma adjacent to the bone surface with periosteal reaction 659
I. Kudawara, H. Yoshikawa, N. Araki and T. Ueda

Ilizarov external fixation for severely comminuted supracondylar and intercondylar fractures of the distal femur 663
M. Arazi, R. Memik, T C. Ögün and M. Yel

Skin closure after acute shortening 668
A. H. R. W. Simpson, C. Andrews and H. Giele

Volumetric analysis of osteonecrosis of the femur 672
P Hernigou and J. C. Lambotte

The effect of preoperative donation of autologous blood on deep-vein thrombosis after total hip arthroplasty 676
H. Bae, G. H. Westrich, T. P. Sculco, E. A. Salvati and L. M. Reich

Is titanium so bad? 680
M. Bowditch and R. Villar

Total hip arthroplasty using porous-coated femoral components in patients with rheumatoid arthritis 686
A. K. Jana, C. A. Engh Jr, P. J. Lewandowski, R. H. Hopper Jr and C. A. Engh

Cefuroxime-impregnated cement at primary total knee arthroplasty in diabetes mellitus 691
F.-Y. Chiu, C.-F. J. Lin, C.-M. Chen, W.-H. Lo and T.-Y. Chaung

The Lubinus patellofemoral arthroplasty 696
B. Tauro, C. F. Ackroyd, J. H. Newman and N. A. Shah

Timing of the administration of tranexamic acid for maximum reduction in blood loss in arthroplasty of the knee 702
N. Tanaka, H. Sakahashi, E. Sato, K. Hirose, T. Ishima and S. Ishii

Manipulation and injection for hallux rigidus 706
M. C. Solan, J. D. F. Calder and S. P. Bendall

Necrotising fasciitis of a limb 709
W. M. Tang, P. L. Ho, K. K. Fung, K. Y. Yuen and J. C. Y. Leong

Perthes' disease in the adolescent 715
B. Joseph, K. Mulpuri and G. Varghese

Posterior rotational intertrochanteric osteotomy of the femur in children and adolescents 721
A. M. Sokolovsky and O. A. Sokolovsky

MRI study of talonavicular alignment in club foot 726
M. Kamegaya, Y. Shinohara, K. Kuniyoshi and H. Moriya

The treatment of recurrent arthrogrypotic club foot in children by the Ilizarov method 731
I. H. Choi, M. S. Yang, C. Y Chung, T. J. Cho and Y. J. Sohn

The floating shoulder 795
A. van Noort, R. L. te Slaa, R. K. Marti and C. van der Werken

The translated two-part fracture of the proximal humerus 799
C. M. Court-Brown, A. Garg and M. M. McQueen

Comminuted fractures of the olecranon 805
M. Ikeda, Y. Fukushima, Y. Kobayashi and Y. Oka

Scaphoid blood flow and acute fracture healing 809
J. S. Dawson, A. L. Martel and T. R. C. Davis

Scattered radiation during fixation of hip fractures 815
J. A. Alonso, D. L. Shaw, A. Maxwell, G. P. McGill and G. C. Hart

Computerised measurement of tibiofemoral alignment 819
U. Prakash, C. A. Wigderowitz, D. W. McGurty and D. I. Rowley

All-polyethylene *versus* metal-backed and stemmed tibial components in cemented total knee arthroplasty 825
G. Adalberth, K. G. Nilsson, S. Byström, K. Kolstad and J. Milbrink

Fracture of the proximal tibia six months after Fulkerson osteotomy 832
S. Gödde, S. Rupp, M. Dienst, R. Seil and D. Kohn

Endoscopic reconstruction of the anterior cruciate ligament with quadrupled hamstring tendons 834
T. Natsu-ume, K. Shino, K. Nakata, N. Nakamura, Y. Toritsuka and T. Mae

Radiological features predictive of aseptic loosening in cemented Charnley femoral stems 838
I. R. Chambers, D. Fender, A. W. McCaskie, B. C. Reeves and P. J. Gregg

Acute rupture of tendo Achillis 843
M. Möller, T. Movin, H. Granhed, K. Lind, E. Faxén and J. Karlsson

Subtalar distraction bone block arthrodesis 849
H.-J. Trnka, M. E. Easley, P. W.-C. Lam, C. D. Anderson, L. C. Schon and M. S. Myerson

Treatment of bone-marrow oedema of the talus with the prostacyclin analogue iloprost 855
N. Aigner, G. Petje, G. Steinboeck, W. Schneider, C. Krasny and F. Landsiedl

Tuberculosis of the thoracic spine 859
J. S. Mehta and S. Y. Bhojraj

Anterior spinal decompression in HIV-positive patients with tuberculosis 864
S. Govender, A. H. Parbhoo, K. P. S. Kumar and K. Annamalai

Primary glenoid dysplasia 868
S. P. Smith and T. D. Bunker

Low-energy extracorporeal shock-wave treatment (ESWT) for tendinitis of the supraspinatus 873
J. Schmitt, M. Haake, A. Tosch, R. Hildebrand, B. Deike and P. Griss

The benefits of using patient-based methods of assessment 877
J. Dawson, G. Hill, R. Fitzpatrick and A. Carr

Supracondylar extension fracture of the humerus in children 883
R. S. Chen, C. B. Liu, X. S. Lin, X. M. Feng, J. M. Zhu and F. Q. Ye

Systematic pinning of displaced extension-type supracondylar fractures of the humerus in children 888
K. Mazda, C. Boggione, F. Fitoussi and G. F. Penneçot

Function of the upper limb after surgery for obstetric brachial plexus palsy 894
C. E. Dumont, V. Forin, H. Asfazadourian and C. Romana

Surgical treatment of lumbar spinal stenosis 949
B. M. Jolles, F. Porchet and N. Theumann

The natural history of post-tubercular kyphosis in children 954
S. Rajasekaran

The coagulative and cardiorespiratory responses to reamed intramedullary nailing of isolated fractures 963
C. M. Robinson, C. A. Ludlam, D. C. Ray, D. G. Swann and J. Christie

Total elbow replacement for complex fractures of the distal humerus 974
R. Gambirasio, N. Riand, R. Stern and P. Hoffmeyer

Hydroxyapatite-coated *versus* grit-blasted femoral stems 979
M. Hamadouche, J. Witvoet, R. Porcher, A. Meunier, L. Sedel and R. Nizard

The hip in hereditary multiple exostoses 988
D. E. Porter, M. K. Benson and G. A. Hosney

Phase transformation of a zirconia ceramic head after total hip arthroplasty 996
K. Haraguchi, N. Sugano, T. Nishii, H. Miki, K. Oka and H. Yoshikawa

The state of the articular cartilage at the time of surgery as an indication for rotational acetabular osteotomy 1001
Y. Yasunaga, Y. Ikuta, T. Kanazawa, K. Takahashi and T. Hisatome

The use of polymethylmethacrylate in the management of hydatid disease of bone 1005
Y. Yildiz, K. Bayrakci, M. Altay and Y. Saglik

Evaluation of electromyographic monitoring during insertion of thoracic pedicle screws 1009
D. P. Reidy, D. Houlden, P. C. Nolan, M. Kim and J. A. Finkelstein

Measuring physical activity in patients after surgery for a malignant tumour in the leg 1015
M. S. van Dam, G. J. Kok, M. Munneke, F. J. Vogelaar, T. P. M. Vliet Vlieland and A. H. M. Taminiau

Intraneural mucoid pseudocysts 1020
G. Chick, J.-Y. Alnot and O. Silbermann-Hoffman

Treatment of isolated injuries of the lunotriquetral ligament 1023
A. Y. Shin, L. P. Weinstein, R. A. Berger and A. T. Bishop

Changes in ulnar variance in relation to forearm rotation and grip 1029
J. M. Jung, G. H. Baek, J. H. Kim, Y. H. Lee and M. S. Chung

Medial unicompartmental arthroplasty after failed high tibial osteotomy 1034
J. L. Rees, A. J. Price, T. G. Lynskey, U. C. G. Svärd, C. A. F. Dodd and D. W. Murray

The effect of partial and full weight-bearing on venous return in the lower limb 1037
R. Eisele, E. Weickert, A. Eren and L. Kinzl

Assessment of Ilizarov correction of club-foot deformity using pedobarography 1041
R. J. Hutchinson, R. P. Betts, L. T. Donnan and M. Saleh

The timing of reduction and stabilisation of the acute, unstable, slipped upper femoral epiphysis 1046
S. A. Phillips, W. E. G. Griffiths and N. M. P. Clarke

Infected joint replacements in HIV-positive patients with haemophilia 1050
J. L. Hicks, W. J. Ribbans, B. Buzzard, S. S. Kelley, L. Toft, G. Torri, J. D. Wiedel and J. York

Reconstruction does not reduce tibial translation in the cruciate-deficient knee 1098
D. J. Beard, D. W. Murray, H. S. Gill, A. J. Price, J. L. Rees, J. Alfaro-Adrián and C. A. F. Dodd

Effects of reconstruction of the anterior cruciate ligament on voluntary activation of quadriceps femoris 1104
D. Urbach, W. Nebelung, R. Becker and F. Awiszus

Open-wedge osteotomy of the proximal tibia with hemicallotasis 1111
E. Nakamura, H. Mizuta, S. Kudo, K. Takagi and K. Sakamoto

Ulceration of the lower leg after total knee replacement 1116
S. D. Muller, F. M. Khaw, R. Morris, A. E. Crozier and P. J. Gregg

Surgical dislocation of the adult hip 1119
R. Ganz, T. J. Gill, E. Gautier, K. Ganz, N. Krügel and U. Berlemann

Evidence for the validity of a patient-based instrument for assessment of outcome after revision hip replacement 1125
J. Dawson, R. Fitzpatrick, S. Frost, R. Gundle, P. McLardy-Smith and D. Murray

Prevention of pulmonary embolism by a foot sole pump 1130
H. Asano, M. Matsubara, K. Suzuki, S. Morita and K. Shinomiya

The effect of spinal fusion on the long-term outcome of idiopathic scoliosis 1133
D. Parsch, V. Gaertner, D. R. C. Brocai and C. Carstens

Lumbosacral transitional vertebrae and nerve-root symptoms 1137
K. Otani, S. Konno and S. Kikuchi

Fractures of the pubic rami 1141
R. M. F. Hill, C. M. Robinson and J. F. Keating

Iatropathic injuries of peripheral nerves 1145
R. Khan and R. Birch

Classification of positive margins after resection of soft-tissue sarcoma of the limb predicts the risk of local recurrence 1149
C. H. Gerrand, J. S. Wunder, R. A. Kandel, B. O'Sullivan, C. N. Catton, R. S. Bell, A. M. Griffin and A. M. Davis

Modular prosthetic replacement of the proximal femur after resection of a bone tumour 1156
D. Donati, M. Zavatta, E. Gozzi, S. Giacomini, L. Campanacci and M. Mercuri

Bilateral hip surgery in severe cerebral palsy 1161
K. L. Owers, J. Pyman, M. F. Gargan, P. J. Witherow and N. M. A. Portinaro

Retrosternal displacement after physeal fracture of the medial clavicle in children 1168
C. A. Goldfarb, G. S. Bassett, S. Sullivan, J. E. Gordon

Simple treatment for torus fractures of the distal radius 1173
J. S. Davidson, D. J. Brown, S. N. Barnes and C. E. Bruce

Case Reports

An unusual cause of sciatic pain 112
Y. Murata, K. Takahashi, M. Murakami and H. Moriya

Obturator dislocation of the hip 113
A. D. Toms, S. Williams and S. H. White

Spontaneous bifocal *Clostridium septicum* gas gangrene 115
R. K. Rai, S. Londhe, S. Sinha, A. C. Campbell and I. S. Aburiziq

Arthrography for reduction of a fracture of the radial neck in a child with a non-ossified radial epiphysis 542
A. Javed and J. M. Guichet

Treatment of severe osteochondritis dissecans of the elbow using osteochondral grafts from a rib 738
Y. Oka and M. Ikeda

Gluteal compartment syndrome after total knee arthroplasty with epidural postoperative analgesia 739
R. J. Pacheco, S. Buckley N. J. Oxborrow, A. C. Weeber and K. Allerton

Bicipetal tenodesis for anterior subluxation of the superior tibiofibular joint 1176
S. H. White

Osteofibrous dysplasia of the ulna 1178
S. Kamineni, T. W. R. Briggs, A. Saifuddin and A. Sandison

Research reports

A comparison of bone remodelling around hydroxyapatite-coated, porous-coated and grit-blasted hip replacements retrieved at post-mortem 118
M. J. Coathup, G. W. Blunn, N. Flynn, C. Williams and N. P. Thomas

Identification of caveolae and detection of caveolin in normal human osteoblasts 124
R. A. Lofthouse, J. R. Davis, C. G. Frondoza, R. H. Jinnah, D. S. Hungerford and J. M. Hare

Evaluation of the viability of bone fragments 130
C. M. Hobbs and P. E. Watkins

Influence of the vitamin D receptor alleles on human osteoblast-like cells 134
K. Ohtera, S. Ishii and T. Matsuyama

Biocompatibility and osseointegration in osteoporotic bone 139
M. Fini, G. Giavaresi, P. Torricelli, A. Krajewski, A. Ravaglioli, M. M. Belmonte, G. Biagini and R. Giardino

BMP-4 of *Xenopus laevis* stimulates differentiation of human primary osteoblast-like cells 144
U. Mayr-Wohlfart, S. Kessler, W. Puhl, K. P. Günther and W. Knöchel

Selective reduction of bone blood flow by short-term treatment with high-dose methylprednisolone 274
W. Drescher, T. Schneider, C. Becker, J. Hobolth, W. Rüther, E. S. Hansen and C. Bünger

Inflammatory responses of human primary macrophages to particulate bone cements in vitro 278
J. A. Wimhurst, R. A. Brooks and N. Rushton

Measuring bone mineral density of the pelvis and proximal femur after total hip arthroplasty 283
J. M. Wilkinson, N. F. A. Peel, R. A. Elson, I. Stockley and R. Eastell

Repair of cartilage defect in the rabbit with cultured mesenchymal stem cells from bone marrow 289
G.-I. Im, D.-Y. Kim, J.-H. Shin, C.-W. Hyun and W.-H. Cho

Strain distribution in the proximal human femur 295
Young-Hoo Kim, J.-S. Kim, S.-H. Cho

Characteristics of degeneration in an unstable knee with a coronal surface step-off 428
G. Lovász, S. H. Park, E. Ebramzadeh, P. D. Benya, A. Llinás, Á. Bellyei, J. V. Luck Jr and A. Sarmiento

Implant fixation enhanced by intermittent treatment with parathyroid hormone 437
R. Skripitz and P. Aspenberg

Sealing effect of hydroxyapatite coating on peri-implant migration of particles 441
O. Rahbek, S. Overgaard, M. Lind, K. Bendix, C. Bünger and K. Søballe

Effect of PMMA particles and movement on an implant interface in a canine model 448
L. C. Jones, C. Frondoza and D. S. Hungerford

The effects of particulate bone cements at the bone-implant interface 588
J. A. Wimhurst, R. A. Brooks and N. Rushton

Differential effects of oxidised and non-oxidised polyethylene particles on human monocyte/macrophages in vitro 593
K. Kamikawa, Y. Harada, K. Nagata and H. Moriya

Comparative analysis of two different types of alumina-alumina hip prosthesis retrieved for aseptic loosening 598
J. E. Nevelos, F. Prudhommeaux, M. Hamadouche, C. Doyle, E. Ingham, A. Meunier, A. B. Nevelos, L. Sedel and J. Fisher

Recurring synovitis as a possible reason for aseptic loosening of knee endoprostheses in patients with rheumatoid arthritis 604
B. Fink, I. Berger, C. Siegmüller, H.-G. Fassbender, C. Meyer-Scholten, K. Tillmann and W. Rüther

Combined anteroposterior spinal fixation provides superior stabilisation to a single anterior or posterior procedure 609
H.-J. Wilke, V. Kemmerich, L. E. Claes and M. Arand

A comparison of polyethylene wear in hips with cobalt-chrome or zirconia heads 742
Y.-H. Kim, J.-S. Kim and S.-H. Cho

Apoptosis and expression of stress protein (ORP150, HO1) during development of ischaemic osteonecrosis in the rat 751
M. Sato, N. Sugano, K. Ohzono, S. Nomura, Y. Kitamura, Y. Tsukamoto and S. Ogawa

Spatial and temporal collagen gene expression in lumbar intertransverse fusion in the rabbit 760
H. Suzuki, K. Takahashi, M. Yamagata, S. Shimizu, H. Moriya and M. Yamazaki

Evaluation of accuracy and precision of bone markers for the measurement of migration of hip prostheses 767
R. Biedermann, B. Stöckl, M. Krismer, P. Mayrhofer, F. Ornstein and H. Franzén

The osteoclastogenic molecules RANKL and RANK are associated with periprosthetic osteolysis 902
D. R. Haynes, T. N. Crotti, A. E. Potter, M. Loric, G. J. Atkins, D. W. Howie and D. M. Findlay

The inhibitory effects of colchicine on cell proliferation and mineralisation in culture 912
M. Salai, E. Segal, I. Cohen, I. Dudkiewicz, N. Farzame, S. Pitaru and N. Savion

Diagnosis of the level of intradural rupture of the rootlets in traction lesions of the brachial plexus 916
M. Schenker and R. Birch

Changes in proximal femoral strain after insertion of uncemented standard and customised femoral stems 921
A. Aamodt, J. Lund-Larsen, J. Eine, E. Andersen, P. Benum and O. S. Husby

Effect of displacement of fractures of the greater tuberosity on the mechanics of the shoulder 1056
C. M. Bono, R. Renard, R. G. Levine and A. S. Levy

The treatment of osteomyelitis with gentamicin-reconstituted bone xenograft-composite 1063
X.-D. Li, Y.-Y. Hu

Intravenous pamidronate reduces osteoporosis and improves formation of the regenerate during distraction osteogenesis 1069
D. G. Little, M. S. Cornell, J. Briody, C. T. Cowell, S. Arbuckle and C. M. Cooke-Yarborough

Increased chromosome translocations and aneuploidy in peripheral blood lymphocytes of patients having revision arthroplasty of the hip 1075
A. T. Doherty, R. T. Howell, L. A. Ellis, I. Bisbinas, I. D. Learmonth, R. Newson and C. P. Case

Isolation of polyacetal wear particles from periprosthetic tissue of isoelastic femoral stems 1182
A. Minovič, I. Milošev, V. Pišot, A. Cör and V. Antolič

Neurones in the dorsal root ganglia of T13, L1 and L2 innervate the dorsal portion of lower lumbar discs in rats 1191
S. Ohtori, K. Takahashi, M. Yamagata, H. Sameda, H. Moriya, T. Chiba and Y. Takahashi

A retrieval study of Capital hip prostheses with titanium alloy femoral stems 1195
L. R. McGrath, D. L. Shardlow, E. Ingham, M. Andrews, J. Ivory, M. H. Stone and J. Fisher

Oral vitamin C attenuates acute ischaemia-reperfusion injury in skeletal muscle 1202
S. R. Kearns, D. Moneley, P. Murray, C. Kelly and A. F. Daly

Obituaries

Malcolm Benbow Menelaus 148
Thornton Brown – an appreciation 459
William John Wells Sharrard 1082
Allan Joseph Alldred 1207

Correspondence

Anatomy of the medial femoral circumflex artery and its surgical implications 149
Nonunion of the femoral diaphysis 150
Does 'canal clearance' affect neurological outcome after thoracolumbar burst fractures? 151
Thromboprophylaxis – which treatment for which patients? 152
The teaching of trauma and orthopaedic surgery to the undergraduate in the United Kingdom 307
The outcome of treatment of trigger thumb in children 307
Nonunion of the femoral diaphysis 308
Relapse in staged surgery for congenital talipes equinovarus 308
Fix and flap: the radical orthopaedic and plastic treatment of severe open fractures of the tibia 309
Anatomical reduction of intra-articular fractures of the distal radius 460
Meta-analysis of thromboembolic prophylaxis after total knee arthroplasty 460
Proximal femoral bone loss and increased rate of fracture with a proximally hydroxyapatite-coated femoral component 461

The orthopaedic management of peripheral ischaemia in meningococcal septicaemia in children 461
Interstitial laser photocoagulation for the treatment of osteoid osteoma 462
Clinical outcome of congenital talipes equinovarus diagnosed antenatally by ultrasound 462
The management of intracapsular fractures of the proximal femur 618
The teaching of trauma and orthopaedic surgery to the undergraduate in the United Kingdom 619
Pyomyositis of the iliacus muscle in a child 619
Does 'canal clearance' affect neurological outcome after thoracolumbar burst fractures? 620
Spontaneous bifocal *Clostridium septicum* gas gangrene 621
The posterolateral approach to the distal humerus for open reduction and internal fixation of fractures of the lateral condyle in children 772
The sulcus angle and malalignment of the extensor mechanism of the knee 772
Fix and flap: the radical orthopaedic and plastic treatment of severe open fractures of the tibia 773
Serrated W/M osteotomy 774
Fractured neck of femur in black patients 930
Presentation of material during talks 930
Symptoms and signs of irritation of the brachial plexus in whiplash injuries 931
How should orthopaedic surgeons respond to unsolicited e-mail? 931
Reamed nailing of Gustilo grade-IIIB tibial fractures 1083
Radiation therapy for the prevention of heterotopic ossification at the elbow 1084
Conservative *versus* operative treatment for displaced ankle fractures in patients over 55 years of age 1084
How should orthopaedic surgeons respond to unsolicited e-mail? 1208
The distress and risk assessment method (DRAM) 1208
Fractures involving splitting of the humeral head 1209
Sample size and statistical power of randomised, controlled trials in orthopaedics 1210

Book reviews 153, 310, 464, 622, 775, 933, 1087, 1211

Announcements 312, 468, 777, 935, 1089, 1212

Corrections 777

Forthcoming meetings 155, 312, 466, 623, 778, 935, 1090, 1212

Author Index 1213

Subject Index 1225